

# EXIDE BATTERIES

## DISTRIBUTOR PRICE SHEET APRIL 1, 2003


ALL PRICES AND SPECIFICATIONS ARE SUBJECT TO CHANGE WITHOUT NOTICE.

BCI Group Size	Part Number	CCA at 0° F	CA at 32° F	RC Minutes @ 25 Amps	Overall Dimensions Inches			Free Repl. Period	Free Jump Start	Unit Value	Pallet Load Qty. (27-1/2 in.)
					Length	Width	Height				
<b>EXIDE SELECT ORBITAL SEALED VRLA (AGM) AUTOMOTIVE BATTERY - 84 - MONTH WARRANTY - 12 VOLT</b>											
78DT	ORB78DT-84 ●	770	1000	95	10-1/4	7	8-3/16	24 Mos.	24 Mos.	1.0	48
75DT	ORB75DT-84 ●	690	850	80	9-1/16	6-7/8	8-3/16	24 Mos.	24 Mos.	1.0	48
<b>EXIDE SELECT ORBITAL SEALED VRLA (AGM) MARINE BATTERY - 36 MONTH WARRANTY - 12 VOLT</b>											
34	*ORB34M-36 ●	770	1000	95	10-1/4	7	8-3/16	18 Mos.	N/A	1.0	48
34	*ORB34DC-36 ●	750	950	100	10-1/4	7	8-3/16	18 Mos.	N/A	1.0	48
BCI Group Size	Part Number	CCA at 0° F	CA at 32° F	RC Minutes @ 25 Amps	Overall Dimensions Inches			Free Repl. Period	Free Jump Start	Unit Value	Pallet Load Qty. (27-1/2 in.)
					Length	Width	Height				
<b>EXIDE NASCAR SELECT AUTOMOTIVE BATTERY - 84 MONTH WARRANTY - 12 VOLT</b>											
75DT	75DT-84N ●	630	800	100	9	6-15/16	8-1/8	24 Mos.	24 Mos.	1.0	48
78DT	78DT-84N ●	770	980	120	10-3/16	6-15/16	8-1/8	24 Mos.	24 Mos.	1.0	48
24	24-84N ●	675	835	120	10-5/8	6-3/4	9-1/8	24 Mos.	24 Mos.	1.0	48
24F	24F-84N ●	675	835	120	10-5/8	6-3/4	9-1/8	24 Mos.	24 Mos.	1.0	48
25	25-84N ●	570	730	100	9	6-7/8	8-15/16	24 Mos.	24 Mos.	1.0	57
27	27-84N ●	700	850	120	12-1/2	6-13/16	9	24 Mos.	24 Mos.	1.0	42
27F	27F-84N ●	700	850	120	12-1/2	6-13/16	9	24 Mos.	24 Mos.	1.0	42
34	34-84N ●	770	950	120	10-3/16	6-13/16	8	24 Mos.	24 Mos.	1.0	48
34R	34R-84N ●	770	950	120	10-3/16	6-13/16	8	24 Mos.	24 Mos.	1.0	48
35	35-84N ●	570	730	100	9	6-13/16	8-15/16	24 Mos.	24 Mos.	1.0	57
58	58-84N ●	500	620	90	9-13/16	7-3/16	7	24 Mos.	24 Mos.	1.0	54
65	65-84N ●	750	890	130	11-9/16	7-7/16	7-9/16	24 Mos.	24 Mos.	1.0	33
75	75-84N ●	630	800	100	9-5/16	6-7/8	7-3/16	24 Mos.	24 Mos.	1.0	57
78	78-84N ●	770	950	120	10-3/16	6-13/16	7-3/16	24 Mos.	24 Mos.	1.0	42

\* Part number changed only, see page 7 for discontinued product part number information

● Price adjustment

## NASCAR Select Automotive Batteries Features/Benefits



- ④ **HEAVIER CAST ON STRAP:** For more rugged, durable design. Improved connections between plates and less crimping under stress. Longer battery life.
- ④ **INCREASED LUG HEIGHT:** Provides greater separation between straps and plates. Reduces shorts. Prolongs battery life.
- ④ **STABL-LOK™ INSULATION:** Between plates and strap helps battery cope with high under hood temperatures.
- ④ **THICKER GRIDS VERSUS ORDINARY CAR BATTERIES:** Last longer. More ruggedly constructed. Enhanced durability under today's harsh operating conditions.
- ④ **STABL-LOK™ BOTTOM-ANCHORED PLATES:** Prevents vibration damage. Specifications are subject to change without notice.
- ④ **PROPERZI ROLLED STRIP PROCESS:** A European breakthrough eliminates problems with cast or milled grids. Allows Exide® to manufacture a battery with increased durability and longer service life.

## Select Orbital Batteries Features/Benefits




- ① **ADVANCED TECHNOLOGY GRIDS:** The Exide Select features proprietary grids made of high purity lead-tin. Combined with the advanced spiral-wound cell design, these durable, corrosion-resistant grids deliver superior performance and durability available only from a maintenance-free, sealed valve-regulated battery.
- ② **PATENTED GLASS MAT SEPARATORS:** Patented glass separators optimize the oxygen recombination process, reduce acid stratification, prevent premature paste shedding, and provide cushioning for better vibration resistance. The low internal resistance of the battery allows the Exide Select Orbital to recharge faster than conventional batteries.
- ③ **DUAL TERMINAL DESIGN:** The Exide Select Orbital features two sets of terminals. The centered top terminal location enables installation in normal and reverse terminal applications, while the side terminals allow exact fit in side terminal applications. The no leak design terminal never needs cleaning.
- ④ **FOLD-AWAY HANDLES:** The Exide Select Orbital is built with convenient fold-away handles that promote safe handling and convenient installation and removal.
- ⑤ **SIX-VALVE ISOLATED CELL DESIGN:** The Exide Select Orbital multiple pressure relief valves prevent gasses from escaping under normal operating conditions, and prevent air, water, and other impurities from contaminating the battery. The six individual valves allow isolation of cells for higher reliability, while permitting gasses to escape during overcharge or extreme temperature conditions. And no-free flowing acid can leak through the valves.
- ⑥ **THROUGH-THE-PARTITION (TTP) DESIGN:** The Exide Select Orbital patented TTP intercell welds provide a shorter current flow compared to "Over-The-Partition" intercell welds and less current resistance to deliver more power in a smaller package than conventional batteries.
- ⑦ **EXTRA HEAVY-DUTY STRAPS:** The extra heavy-duty straps of the Exide Select Orbital create less internal resistance to deliver more power quickly and absorb more current quickly, which leads to a faster recharge.

Specifications are subject to change without notice.

# AUTOMOTIVE / COMMERCIAL / FARM / SPECIALTY

BCI Group Size	Part Number	CCA at 0° F	CA at 32° F	RC Minutes @ 25 Amps	Overall Dimensions Inches			Free Repl. Period	Free Jump Start	Unit Value	Pallet Load Qty. (27-1/2 in.)
					Length	Width	Height				
<b>EXIDE CLASSIC AUTOMOTIVE BATTERY - 72 MONTH WARRANTY - MAINTENANCE FREE - 12 VOLT</b>											
78DT	78DT-72	850	1000	120	10-11/16	7-1/16	8-1/8	18 Mo.	18 Mo.	1.0	48
75DT	75DT-72	630	800	90	8-13/16	7-1/16	8-1/8	18 Mo.	18 Mo.	1.0	48
24	2434-72P ●	770	950	120	10-3/16	6-3/4	8-15/16	18 Mo.	18 Mo.	1.0	48
	24-72	675	835	120	10-3/16	6-3/4	8-15/16	18 Mo.	18 Mo.	1.0	48
24F	24F34R-72P ●	770	950	120	10-5/8	6-3/4	9-1/8	18 Mo.	18 Mo.	1.0	48
	24F-72	675	835	120	10-5/8	6-3/4	8-7/8	18 Mo.	18 Mo.	1.0	48
25	25-72	570	730	100	9	6-7/8	8-15/16	18 Mo.	18 Mo.	1.0	57
34	34-72	770	950	120	10-3/16	6-13/16	8	18 Mo.	18 Mo.	1.0	48
34R	34R-72	770	950	120	10-3/16	6-13/16	8	18 Mo.	18 Mo.	1.0	48
35	35-72	570	730	100	9	6-7/8	8-15/16	18 Mo.	18 Mo.	1.0	57
36R	36R-72	650	800	110	10-1/4	7-3/16	7-15/16	18 Mo.	18 Mo.	1.0	54
65	65-72	850	1000	160	11-9/16	7-7/16	7-9/16	18 Mo.	18 Mo.	1.0	33
75	75-72	730	925	100	9-7/16	7-1/16	7-3/16	18 Mo.	18 Mo.	1.0	57
78	78-72	770	950	120	10-3/16	7-1/16	7-3/16	18 Mo.	18 Mo.	1.0	42
<b>EXIDE PREMIUM AUTOMOTIVE BATTERY - 60 MONTH WARRANTY - MAINTENANCE FREE - 12 VOLT</b>											
78DT	78DT-60	650	800	100	10-11/16	7-1/16	8-1/8	12 Mo.	12 Mo.	1.0	48
75DT	75DT-60	525	630	85	8-13/16	7-1/16	8-1/8	12 Mo.	12 Mo.	1.0	48
24	24-60	525	630	90	10-3/16	6-3/4	8-15/16	12 Mo.	12 Mo.	1.0	48
24F	24F-60	525	630	90	10-5/8	6-3/4	9-1/8	12 Mo.	12 Mo.	1.0	48
25	25-60	525	630	85	9	6-7/8	8-15/16	12 Mo.	12 Mo.	1.0	57
26	26-60	525	630	80	8-11/16	6-13/16	7-11/16	12 Mo.	12 Mo.	1.0	60
26R	26R-60	525	630	80	8-11/16	6-13/16	7-11/16	12 Mo.	12 Mo.	1.0	60
27	27-60	700	850	120	12-1/2	6-13/16	9	12 Mo.	12 Mo.	1.0	42
27F	27F-60	700	850	120	12-1/2	6-13/16	9	12 Mo.	12 Mo.	1.0	42
34	34-60	630	750	100	10-3/16	6-13/16	8	12 Mo.	12 Mo.	1.0	48
35	35-60	525	630	85	9	6-7/8	8-15/16	12 Mo.	12 Mo.	1.0	57
41	41-60	675	835	105	11-3/16	6-7/8	6-7/8	12 Mo.	12 Mo.	1.0	42
42	42-60	500	600	70	9-5/8	6-7/8	6-7/8	12 Mo.	12 Mo.	1.0	54
45	45-60	495	595	80	9-7/16	5-1/2	8-7/8	12 Mo.	12 Mo.	1.0	69
47	47-60	600	750	85	9-5/8	6-3/4	7-7/16	12 Mo.	12 Mo.	1.0	48
48	48/91-60	690	850	110	11	6-3/4	7-7/16	12 Mo.	12 Mo.	1.0	42
49	49-60	850	1000	120	14	6-7/8	7-7/16	12 Mo.	12 Mo.	1.0	36
51	51-60	450	530	70	9-5/16	4-15/16	8-11/16	12 Mo.	12 Mo.	1.0	69
51R	51R-60	450	530	70	9-5/16	4-15/16	8-11/16	12 Mo.	12 Mo.	1.0	69
56	56-60	535	640	80	10-7/16	6-5/16	8-3/8	12 Mo.	12 Mo.	1.0	48
58	58-60	540	675	80	9-13/16	7-3/16	7	12 Mo.	12 Mo.	1.0	54
58R	58R-60	580	700	80	9-13/16	7-3/16	7	12 Mo.	12 Mo.	1.0	54
64	64-60	575	725	110	11-11/16	6-5/16	8-7/8	12 Mo.	12 Mo.	1.0	42
65	65-60	650	780	130	11-9/16	7-7/16	7-9/16	12 Mo.	12 Mo.	1.0	33
70	70-60	525	630	80	8-11/16	7-1/16	7-3/16	12 Mo.	12 Mo.	1.0	54
75	75-60	630	800	90	9-5/16	6-7/8	7-3/16	12 Mo.	12 Mo.	1.0	57
78	78-60	630	800	100	10-3/16	6-13/16	7-3/16	12 Mo.	12 Mo.	1.0	42
86	86-60	525	630	80	9	6-13/16	8	12 Mo.	12 Mo.	1.0	48
<b>EXIDE - AUTOMOTIVE BATTERY - 50 MONTH WARRANTY - MAINTENANCE FREE - 12 VOLT</b>											
75DT	75DT-50	450	550	70	9	6-15/16	8-1/8	12 Mo.	12 Mo.	1.0	48
24	24-50	450	525	80	10-5/8	6-3/4	9-1/8	12 Mo.	12 Mo.	1.0	48
24F	24F-50	450	525	80	10-5/8	6-3/4	9-1/8	12 Mo.	12 Mo.	1.0	48
26	26-50	450	525	75	8-11/16	6-13/16	7-11/16	12 Mo.	12 Mo.	1.0	60
26R	26R-50	450	525	75	8-11/16	6-13/16	7-11/16	12 Mo.	12 Mo.	1.0	60
56	56-50	450	535	75	10-7/16	6-5/16	8-3/8	12 Mo.	12 Mo.	1.0	48
58	58-50	460	540	70	9-13/16	7-3/16	7	12 Mo.	12 Mo.	1.0	54
75	75-50	525	630	85	9-7/16	7-1/16	7-3/16	12 Mo.	12 Mo.	1.0	57
<b>EXIDE - AUTOMOTIVE BATTERY - 40 MONTH WARRANTY - MAINTENANCE FREE - 12 VOLT</b>											
22NF	22NF-40	390	450	70	9-1/2	5-1/2	9-1/16	6 Mo.	NA	1.0	48
29NF	29NF-40 ●	390	450	90	13	5-1/2	9	6 Mo.	NA	1.0	42
<b>EXIDE - AUTOMOTIVE BATTERY - 40 MONTH WARRANTY - MAINTENANCE FREE - 6 VOLT</b>											
19L	19L-40	440	560	120	8-1/4	6-3/4	7-1/2	6 Mo.	NA	1.0	24
<b>EXIDE ORDNANCE - 12 &amp; 24 VOLT</b>											
2HN	2HN-D 12V	150	180	75	10-3/16	5-1/4	9	12 Mo.	NA	1.0	48
4HN	4HN-D 24V	125	150	28	10-3/16	5-1/4	9-1/16	12 Mo.	NA	1.0	18
6TL	6TL-D 12V ●	600	720	200	10-1/2	10-3/8	9	12 Mo.	NA	2.0	18
<b>EXIDE CUTTING EDGE GARDEN TRACTOR, SNOWMOBILE &amp; UTILITY BATTERY - 12 VOLT</b>											
U1	GT-X	300	360	34	7-3/4	5-3/16	7-5/16	12 Mo.	NA	0.5	75
	GT-H	235	280	25	7-3/4	5-3/16	7-5/16	12 Mo.	NA	0.5	75
	GT	165	200	17	7-3/4	5-3/16	7-5/16	12 Mo.	NA	0.5	75
U1R	GTX-R	300	360	34	7-3/4	5-3/16	7-5/16	12 Mo.	NA	0.5	75
	GT-R	235	280	25	7-3/4	5-3/16	7-5/16	12 Mo.	NA	0.5	75
<b>PREVAILER WHEELCHAIR &amp; SCOOTER BATTERY - SEALED VRLA GEL CELL DEEP CYCLE - 12 VOLT</b>											
U1	PV-U1	--	--	47	7-3/4	5-3/16	7-5/16	6 Mo.	NA	0.5	75
22NF	PV-22NF	--	--	87	9-1/2	5-1/2	9-1/16	6 Mo.	NA	1.0	48
24	PV-24DC	--	--	140	10	6-3/4	9-7/16	6 Mo.	NA	1.0	48
<b>EXIDE WHEELCHAIR, SPECIAL APPLICATION &amp; UTILITY BATTERY - DEEP CYCLE - 12 VOLT</b>											
U1	DC-9	160	200	40	7-3/16	5-3/16	7-5/16	6 Mo.	NA	0.5	75

● Price adjustment



## COMMERCIAL / FARM / MARINE STARTING / DEEP CYCLE / RV / SPECIALTY


BCI Group Size	Part Number	CCA at 0° F	CA at 32° F	RC Minutes @ 25 Amps	Overall Dimensions Inches			Free Repl. Period	Free Jump Start	Unit Value	Pallet Load Qty. (27-1/2 in.)
					Length	Width	Height				
<b>EXIDE FLOOR SCRUBBER &amp; SWEEP BATTERY - DEEP CYCLE - 6 &amp; 12 VOLT</b>											
FS	FS2-D 6V	--	150	540	11-5/8	7-1/16	12-1/8	12 Mo.	NA	1.5	28
FS	FS6-D 6V ●	--	214	810	11-3/4	7-1/16	17-1/16	12 Mo.	NA	2.5	8
FS	FS8-D 6V	--	175	675	11-5/8	7-1/16	15	12 Mo.	NA	2.0	36
FS	FS12-D 12V	--	100	375	15-9/16	7	14-15/16	12 Mo.	NA	2.0	21
BCI Group Size	Part Number	CCA at 0° F	CA at 32° F	RC Minutes @ 25 Amps	Overall Dimensions Inches			Free Repl. Period	Free Jump Start	Unit Value	Pallet Load Qty. (27-1/2 in.)
					Length	Width	Height				
<b>EXIDE GROUP 31 MAINTENANCE FREE BATTERY 24 MONTH WARRANTY - 12 VOLT</b>											
31	HP-31D	925	1050	160	13	6-13/16	9-5/16	18 Mo.	NA	1.5	36
	HP-31E	925	1050	160	13	6-13/16	9-5/16	18 Mo.	NA	1.5	36
	HC-31D#	700	840	180	13	6-13/16	9-5/16	18 Mo.	NA	1.5	36
	HC-31E#	700	840	180	13	6-13/16	9-5/16	18 Mo.	NA	1.5	36
	COM-31D	625	750	160	13	6-13/16	9-5/16	18 Mo.	NA	1.5	36
	COM-31E	625	750	160	13	6-13/16	9-5/16	18 Mo.	NA	1.5	36

D = Stud Terminal; E = SAE Terminal; # Includes State of Charge Indicator

<b>EXIDE HEAVY DUTY COMMERCIAL BATTERY - 24 MONTH WARRANTY - 12 VOLT</b>											
3EE	F-3EE	370	440	100	19-1/4	4-1/4	8-9/16	12 Mo.	NA	1.0	39
3ET	F-3ET	460	550	120	19-1/4	4-1/4	9-9/16	12 Mo.	NA	1.5	39
4D	COM-4D-P	1000	1200	320	19-9/16	8-5/16	9-7/8	12 Mo.	NA	3.0	12
4DLT	F-4DLT	810	970	250	20	8-1/8	8-1/8	12 Mo.	NA	2.0	12
8D*	COM-8D	1300	1560	435	20-3/4	14	10	12 Mo.	NA	4.0	8
	COM-8D-P	1155	1380	400	20-7/8	11	10	12 Mo.	NA	4.0	8
16TF	F-16TF ●	545	665	210	16-1/2	7-1/8	11-1/16	12 Mo.	NA	2.5	21
17TF	F-17TF ●	530	665	140	17	6-7/8	7-7/8	12 Mo.	NA	1.0	27
30H	COM-30H	700	850	180	13	6-15/16	9-5/8	12 Mo.	NA	1.5	36

\* = Special terminal configurations for 8D batteries:

- Plan-312 (BCI type B) side/bus terminal with 3/8" negative and positive threaded terminals.
  - Plan-313 (BCI type B) side/bus terminal with 3/8" negative and 1/2" positive threaded terminals.
  - Plan-316 (BCI type B) side/bus terminal with 3/8" negative and 7/16" positive threaded terminals.
- See your Exide sales representative for pricing and availability.



<b>EXIDE HEAVY DUTY COMMERCIAL BATTERY - 24 MONTH WARRANTY - 6 VOLT</b>											
1	COM-1H-P	625	750	160	8-13/16	6-3/4	8-5/8	12 Mo.	NA	1.0	57
2	COM-2-P	625	750	150	10-1/4	6-7/8	9-5/16	12 Mo.	NA	1.0	48
2E	F-2E ●	615	675	185	19-5/16	4-5/16	10-1/4	12 Mo.	NA	1.0	39
3	COM-3 ●	690	750	230	11-1/2	7	9-3/16	12 Mo.	NA	1.0	42
3EH	F-3EH	850	1020	280	19-1/4	4-1/4	9-7/8	12 Mo.	NA	1.5	39
	COM-4EC-P	975	1170	300	13	6-3/4	9-1/4	12 Mo.	NA	1.5	36
	T-4H-P	800	960	250	13	6-3/4	9-1/4	12 Mo.	NA	1.5	36
4EH	F-4EH	930	1110	300	19-1/4	5	10	12 Mo.	NA	1.5	39
5D	COM-5D	850	1020	280	13-1/2	7-1/4	9-3/8	12 Mo.	NA	1.5	36
7D	COM-7D	975	1170	330	15-7/8	7-1/4	9-3/8	12 Mo.	NA	2.0	21
BCI Group Size	Part Number	RC Minutes @ 25 Amps	Minutes @ 75 Amps to 5.25 V	Overall Dimensions Inches			Free Repl. Warranty	Free Jump Start	Unit Value	Pallet Load Qty. (27-1/2 in.)	
				Length	Width	Height					
<b>EXIDE GOLF CAR &amp; ELECTRIC VEHICLE BATTERY - DEEP CYCLE - 6 &amp; 8 VOLT</b>											
GC2	GC2-H 6V	525	145	--	10-5/16	7-1/8	11-5/8	12 Mo.	NA	1.5	28
	GC-5 6V	480	135	--	10-5/16	7-1/8	11-7/16	12 Mo.	NA	1.5	28
	E-3600 6V ●	390	110	--	10-5/16	7-1/8	11-7/16	12 Mo.	NA	1.5	28
	E-4800 8V	290	110*	--	10-5/16	7-1/8	11-7/16	12 Mo.	NA	1.5	28

\* Minutes @ 56 amps to 7.0 volts

● Price adjustment

BCI Group Size	Part Number	CCA at 0° F	CA at 32° F	RC Minutes @ 25 Amps	Overall Dimensions Inches			Capacity	Free Repl. Warranty	Unit Value	Pallet Load Qty. (27-1/2 in.)
					Length	Width	Height				
<b>STOWAWAY MARINE STARTING BATTERY - 24 MONTH WARRANTY - 12 VOLT</b>											
24	ST24MS525 ●	450	525	65	10-11/16	6-5/8	9-7/16	--	12 Mo.	1.0	48
	ST24MS650 ●	525	650	80	10-11/16	6-5/8	9-7/16	--	12 Mo.	1.0	48
	ST24MS000 ●	800	1000	115	10-11/16	6-5/8	9-7/16	--	12 Mo.	1.0	48
<b>STOWAWAY MARINE/RV DUAL PURPOSE BATTERY - 24 MONTH WARRANTY - 12 VOLT</b>											
24	ST24DP625 ●	500	625	120	10-3/16	6-13/16	9-7/16	70 Ah.	12 Mo.	1.0	48
27	ST27DP700 ●	575	730	160	12-3/4	6-13/16	9-1/2	95 Ah.	12 Mo.	1.0	42
<b>STOWAWAY MARINE/RV DEEP CYCLE MARINE BATTERY - 24 MONTH WARRANTY - 12 VOLT</b>											
U1	STU1DC40 ●	200	250	40	8-7/16	5-1/4	7-1/4	23 Ah.	12 Mo.	0.5	75
24	ST24DC140 ●	400	500	140	10-1/4	6-5/8	9-7/16	80 Ah.	12 Mo.	1.0	48
27	ST27DC180 ●	500	625	180	12-13/16	6-13/16	9-1/2	105 Ah.	12 Mo.	1.0	42
31	ST31DC205 ●	600	750	205	13	6-13/16	9-7/8	115 Ah.	12 Mo.	1.5	36
4D	ST4DDC250 ●	600	850	250	20-3/4	8-3/4	10-7/8	160 Ah.	12 Mo.	3.0	12
8D	ST8DDC400 ●	800	1200	400	20-3/4	11	10-7/8	200 Ah.	12 Mo.	4.0	8
<b>NAUTILUS MARINE STARTING BATTERY - 24 MONTH WARRANTY - 12 VOLT</b>											
24	XXHD-M-24	800	1000	115	10-7/8	6-13/16	9-7/16	--	12 Mo.	1.0	48
	XHD-M-24	525	650	80	10-7/8	6-13/16	9-7/16	--	12 Mo.	1.0	48
	HD-M-24	450	525	65	10-7/8	6-13/16	9-7/16	--	12 Mo.	1.0	48

NAUTILUS MARINE/RV DUAL PURPOSE - STARTING/DEEP CYCLE BATTERY - 24 MONTH WARRANTY - 12 VOLT											
24	NC-24	500	625	120	11	6-13/16	9-1/2	75 Ah.	12 Mo.	1.0	48
27	NC-27	575	730	160	12	6-13/16	9-1/2	100 Ah.	12 Mo.	1.0	42
NAUTILUS GOLD MARINE/RV DEEP CYCLE BATTERY - 24 MONTH WARRANTY - 12 VOLT											
24	NG-24	400	500	140	10-3/16	6-13/16	9-7/16	80 Ah.	12 Mo.	1.0	48
27	NG-27	500	625	180	12	6-13/16	9-1/2	105 Ah.	12 Mo.	1.0	42
31	NG-31	600	750	205	13	6-13/16	9-3/8	115 Ah.	12 Mo.	1.5	36
4D	NG-4D	600	850	250	20-13/16	8-3/4	9-15/16	160 Ah.	12 Mo.	3.0	12
8D	NG-8D	800	1200	400	20-3/4	11	9-15/16	200 Ah.	12 Mo.	4.0	8

## DEEP CYCLE / RV / SPECIALTY

BCI Group Size	Part Number	CCA at 0° F	CA at 32° F	RC Minutes @ 25 Amps	Overall Dimensions Inches			Capacity	Free Repl. Warranty	Unit Value	Pallet Load Qty. (27-1/2 in.)
					Length	Width	Height				
NAUTILUS MARINE HEAVY DUTY BATTERY - 24 MONTH WARRANTY - COMMERCIAL GRADE - 8 VOLT											
1	8-1	360	430	110	9-1/16	6-7/8	9	--	12 Mo.	1.0	57
8VM	8VM-AD ●	800	1000	480	27-7/16	7-7/16	10-1/2	--	12 Mo.	3.5	8
	8VM-GD ●	950	1200	530	26-3/4	8-7/16	11-1/8	--	12 Mo.	4.0	8
	8VM-D ●	650	800	350	19-1/8	7-1/2	10-3/4	--	12 Mo.	3.0	12
PREVAILER STARTING AND DEEP CYCLE BATTERY - 24 MONTH WARRANTY - SEALED VRLA GEL CELL - 12 VOLT											
27	PV-27DC	550	665	170	12	6-13/16	9-1/2	--	12 Mo.	1.0	42
30H	PV-30H	540	650	150	13	6-13/16	9-7/8	--	12 Mo.	1.5	36
31	PV-31	700	575	160	13	6-13/16	9-1/2	--	12 Mo.	1.5	36
4D	PV-4D	1000	1250	360	20-7/8	8-1/2	9-5/8	--	12 Mo.	3.0	12
8D	PV-8D	1250	1550	450	20-3/4	11	9-5/8	--	12 Mo.	4.0	8

# MOTORCYCLE/POWER SPORT BATTERIES

J.I.S. Battery	Item Availability	Battery Upgrade	Notes	Capacity (10Hr)	CA	Dimensions			Free Repl.	Delivery Method	Additional Freight
						L	W	H			
<b>MOTORCYCLE BATTERY - CONVENTIONAL FLOODED LEAD ACID - 6 MONTHS FREE REPLACEMENT - 6 VOLT</b>											
6N2-2A	SO	Modify wire lead if required	1,2	2	NA	2 3/4	1 7/8	3 3/4	6 Mo.	Air Freight	\$ 13.00
6N2-2A-1	SO	Sub 6N2-2A Modify leads	1,2	2	NA	2 3/4	1 7/8	3 3/4	6 Mo.	Air Freight	\$ 13.00
6N2-2A-2	SO	No Sub	1,2	2	NA	2 3/4	1 7/8	3 3/4	6 Mo.	Air Freight	\$ 13.00
6N2-2A-3	SO	Sub 6N2-2A Modify leads	1,2	2	NA	2 3/4	1 7/8	3 3/4	6 Mo.	Air Freight	\$ 13.00
6N2-2A-4	SO	Sub 6N2-2A Modify leads	1,2	2	NA	2 3/4	1 7/8	3 3/4	6 Mo.	Air Freight	\$ 13.00
6N2-2A-5	SO	No Sub	1,2	2	NA	2 3/4	1 7/8	3 3/4	6 Mo.	Air Freight	\$ 13.00
6N2-2A-6	SO	No Sub	1,2	2	NA	2 3/4	1 7/8	3 3/4	6 Mo.	Air Freight	\$ 13.00
6N2-2A-7	SO	No Sub	1,2	2	NA	2 3/4	1 7/8	3 3/4	6 Mo.	Air Freight	\$ 13.00
6N2-2A-8	SO	Sub 6N2-2A Modify leads	1,2	2	NA	2 3/4	1 7/8	3 3/4	6 Mo.	Air Freight	\$ 13.00
6N2-2D	SO	No Sub	1,2	2	NA	2 3/4	1 7/8	4 1/8	6 Mo.	Air Freight	\$ 13.00
6N2A-2C	SO	No Sub	1,2	2	NA	2 3/4	1 7/8	4 3/16	6 Mo.	Air Freight	\$ 13.00
6N2A-2C-1	SO	No Sub	1,2	2	NA	2 3/4	1 7/8	4 3/16	6 Mo.	Air Freight	\$ 13.00
6N2A-2C-3	SO	Sub 6N2A-2C	1,2	2	NA	2 3/4	1 7/8	4 3/16	6 Mo.	Air Freight	\$ 13.00
6N4-2A	SO	Modify wire lead if required	1,2	4	NA	2 7/8	2 7/8	3 3/4	6 Mo.	Air Freight	\$ 13.00
6N4-2A-2	SO	No Sub	1,2	4	NA	2 7/8	2 7/8	3 3/4	6 Mo.	Air Freight	\$ 13.00
6N4-2A-3	SO	Sub 6N4-2A Modify leads	1,2	4	NA	2 7/8	2 7/8	3 3/4	6 Mo.	Air Freight	\$ 13.00
6N4-2A-4	SO	Sub 6N4-2A Modify leads	1,2	4	NA	2 7/8	2 7/8	3 3/4	6 Mo.	Air Freight	\$ 13.00
6N4-2A-5	SO	Sub 6N4-2A Modify leads	1,2	4	NA	2 7/8	2 7/8	3 3/4	6 Mo.	Air Freight	\$ 13.00
6N4-2A-6	SO	Sub 6N4-2A Modify leads	1,2	4	NA	2 7/8	2 7/8	3 3/4	6 Mo.	Air Freight	\$ 13.00
6N4-2A-7	SO	No Sub	1,2	4	NA	2 7/8	2 7/8	3 3/4	6 Mo.	Air Freight	\$ 13.00
6N4-2A-8	SO	Sub 6N4-2A Modify leads	1,2	4	NA	2 7/8	2 7/8	3 3/4	6 Mo.	Air Freight	\$ 13.00
6N4A-4D	SO	No Sub	1,2	4	NA	2 7/16	2 1/4	5 1/8	6 Mo.	Air Freight	\$ 13.00
6N4A-4D-1	SO	No Sub	1,2	4	NA	2 7/16	2 1/4	5 1/8	6 Mo.	Air Freight	\$ 13.00
6N4B-2A	SO	No Sub	1,2	4	NA	4 1/16	1 7/8	3 3/4	6 Mo.	Air Freight	\$ 13.00
6N4B-2A-1	SO	No Sub	1,2	4	NA	4 1/16	1 7/8	3 3/4	6 Mo.	Air Freight	\$ 13.00
6N4B-2A-2	SO	No Sub	1,2	4	NA	4 1/16	1 7/8	3 3/4	6 Mo.	Air Freight	\$ 13.00
6N4B-2A-3	SO	Sub 6N4B-2A	1,2	4	NA	4 1/16	1 7/8	3 3/4	6 Mo.	Air Freight	\$ 13.00
6N4B-2A-4	SO	No Sub	1,2	4	NA	4 1/16	1 7/8	3 3/4	6 Mo.	Air Freight	\$ 13.00
6N4B-2A-5	SO	No Sub	1,2	4	NA	4 1/16	1 7/8	3 3/4	6 Mo.	Air Freight	\$ 13.00
6N4C-1B	SO	Sub 6N4-2A Modify leads	1,2	4	NA	2 7/8	2 7/8	4 1/8	6 Mo.	Air Freight	\$ 13.00
6N5-5-3D	SO	No Sub	1,2	5.5	NA	3 9/16	2 3/4	3 7/8	6 Mo.	Air Freight	\$ 13.00
6N5-5-1D	Stock Item	No Sub	5	5.5	NA	3 9/16	2 3/4	3 7/8	6 Mo.	Exide Whse.	N/A
6N5.5-1D-1	SO	No Sub	1,2	5.5	NA	3 9/16	2 3/4	3 7/8	6 Mo.	Air Freight	\$13.00
6N6-1B	SO	Sub 6N6-3B	1,2	6	NA	3 7/8	2 1/4	4 3/8	6 Mo.	Air Freight	\$13.00
6N6-3B	Stock Item	No Sub	5	6	NA	3 7/8	2 1/4	4 3/8	6 Mo.	Exide Whse.	N/A
6N6-3B-1	SO	Sub 6N6-3B	1,2	6	NA	3 7/8	2 1/4	4 3/8	6 Mo.	Air Freight	\$13.00
6N6-1D	SO	No Sub	1,2	6	NA	3 7/8	2 1/4	4 3/8	6 Mo.	Air Freight	\$13.00
6N6-1D-2	SO	Sub 6N6-1D	1,2	6	NA	3 7/8	2 1/4	4 3/8	6 Mo.	Air Freight	\$13.00
6CB8L-B	SO	No Sub	1,2	8	NA	4 3/4	2 7/8	3 3/4	6 Mo.	Air Freight	\$13.00
6N11-2D	SO	No Sub	1,2	11	NA	5 7/8	2 3/4	3 15/16	6 Mo.	Air Freight	\$13.00
6N11A-1B	SO	No Sub	1,2	11	NA	4 13/16	2 7/16	5 3/16	6 Mo.	Air Freight	\$13.00
6N12A-2D	SO	No Sub	1,2	12	NA	6 1/8	2 1/4	4 9/16	6 Mo.	Air Freight	\$13.00
B39-6	SO	No Sub	1,2	7	NA	4 15/16	1 7/8	4 15/16	6 Mo.	Air Freight	\$13.00
B49-6	SO	No Sub	1,2	9	NA	3 9/16	3 1/4	6 5/16	6 Mo.	Air Freight	\$13.00
<b>MOTORCYCLE BATTERY - CONVENTIONAL FLOODED LEAD ACID - 6 MONTHS FREE REPLACEMENT - 12 VOLT</b>											
12N5-3B	SO	Sub 5L-B	1,2	5	40	4 3/4	2 3/8	5 3/16	6 Mo.	Air Freight	\$13.00
12N5-4B	Stock Item	No Sub	5	5	40	4 3/4	2 3/8	5 3/16	6 Mo.	Exide Whse.	N/A
12N5.5A-3B	Stock Item	No Sub	5	5.5	58	4 1/16	3 9/16	4 1/2	6 Mo.	Exide Whse.	N/A
12N5.5-3B	SO	No Sub	1,2	5.5	70	5 7/16	2 3/8	5 3/16	6 Mo.	Air Freight	\$13.00
12N5.5-4	SO	No Sub	1,2	5.5	70	5 7/16	2 3/8	5 3/16	6 Mo.	Air Freight	\$13.00
12N5.5-4A	SO	No Sub	1,2	5.5	70	5 7/16	2 3/8	5 3/16	6 Mo.	Air Freight	\$13.00
12N5.5-4B	SO	No Sub	1,2	5.5	70	5 7/16	2 3/8	5 3/16	6 Mo.	Air Freight	\$13.00
12N7-3B	Stock Item	No Sub	5	7	86	5 3/8	3	5 1/4	6 Mo.	Exide Whse.	N/A
12N7-4A	Stock Item	Sub 7-A	5	7	86	5 3/8	3	5 1/4	6 Mo.	Exide Whse.	N/A
12N7-4B	SO	No Sub	1,2	7	86	5 3/8	3	5 1/4	6 Mo.	Air Freight	\$13.00
12N7B-4A	SO	No Sub	1,2	7	86	5 15/16	2 3/8	5 3/16	6 Mo.	Air Freight	\$13.00
12N7C-3D	SO	No Sub	1,2	7	86	5 1/8	3 9/16	4 1/2	6 Mo.	Air Freight	\$13.00
12N7D-3B	SO	No Sub	1,2	7	86	5 3/8	3	5 7/8	6 Mo.	Air Freight	\$13.00
12N9-4B-1	Stock Item	Sub 9-B	5	9	92	5 3/8	3	5 1/2	6 Mo.	Exide Whse.	N/A
12N9-3A	SO	No Sub	1,2	9	95	5 3/8	3	5 1/2	6 Mo.	Air Freight	\$15.00
12N9-3A-1	SO	Sub 9L-A2	1,2	9	95	5 3/8	3	5 1/2	6 Mo.	Air Freight	\$15.00
<b>MOTORCYCLE BATTERY - CONVENTIONAL FLOODED LEAD ACID - 6 MONTHS FREE REPLACEMENT - 12 VOLT</b>											
12N9-3B	SO	Sub 9L-B	1,2	9	95	5 3/8	3	5 1/2	6 Mo.	Air Freight	\$15.00
12N10-3A	SO	Sub 10L-A2	1,2	10	123	5 3/8	3 9/16	5 3/4	6 Mo.	Air Freight	\$15.00
12N10-3A-1	SO	Sub 10L-A2	1,2	10	123	5 3/8	3 9/16	5 3/4	6 Mo.	Air Freight	\$15.00
12N10-3A-2	SO	Sub 10L-A2	1,2	10	123	5 3/8	3 9/16	5 3/4	6 Mo.	Air Freight	\$15.00
12N10-3B	SO	Sub 10L-B	1,2	10	123	5 3/8	3 9/16	5 3/4	6 Mo.	Air Freight	\$15.00
12N10-3B-1	SO	Sub 10L-B	1,2	10	123	5 3/8	3 9/16	5 3/4	6 Mo.	Air Freight	\$15.00
12N11-3A	SO	No Sub	1,2	11	150	5 3/8	3 9/16	6 1/8	6 Mo.	Air Freight	\$15.00

# MOTORCYCLE/POWER SPORT BATTERIES

J.I.S. Battery	Item Availability	Battery Upgrade	Notes	Capacity (10Hr)	CA	Dimensions			Free Repl.	Delivery Method	Additional Freight
						L	W	H			
<b>MOTORCYCLE BATTERY - CONVENTIONAL FLOODED LEAD ACID - 6 MONTHS FREE REPLACEMENT - 12 VOLT</b>											
12N11-3A-1	SO	No Sub	1,2	11	150	5 3/8	3 9/16	6 1/8	6 Mo.	Air Freight	\$15.00
12N11-3B	SO	No Sub	1,2	11	150	5 3/8	3 9/16	6 1/8	6 Mo.	Air Freight	\$15.00
12N12A-4A-1	Stock Item	Sub 12A-A	5	12	127	5 5/16	3 3/16	6 5/16	6 Mo.	Exide Whse.	N/A
12N12-3B	SO	No Sub	1,2	12	135	7 5/16	3	5 1/4	6 Mo.	Air Freight	\$15.00
12N14-3A	Stock Item	Sub 14L-A2	5	14	150	5 5/16	3 9/16	6 9/16	6 Mo.	Exide Whse.	N/A
12N14-3B	SO	No Sub	1,2	14	150	5 5/16	3 9/16	6 9/16	6 Mo.	Air Freight	\$15.00
12N16-3B	SO	Sub 16L-BS	1,2	16	218	6 15/16	4	6 1/8	6 Mo.	Air Freight	\$17.00
12N16-4B	SO	No Sub	1,2	16	218	6 15/16	4	6 1/8	6 Mo.	Air Freight	\$17.00
12N18-3	SO	No Sub	1,2	18	272	8 1/8	3 9/16	6 7/16	6 Mo.	Air Freight	\$17.00
12N18-3A	SO	No Sub	1,2	18	272	8 1/8	3 9/16	6 7/16	6 Mo.	Air Freight	\$17.00
12N24-3	SO	No Sub	1,2	24	232	7 5/16	4 15/16	6 15/16	6 Mo.	Air Freight	\$19.00
12N24-3A	SO	No Sub	1,2	24	232	7 5/16	4 15/16	6 15/16	6 Mo.	Air Freight	\$19.00
12N24-4	SO	No Sub	1,2	24	232	7 5/16	4 15/16	6 15/16	6 Mo.	Air Freight	\$19.00
HD-12	Stock Item	No Sub	5	28	265	8 1/16	5 1/8	6 1/2	6 Mo.	Exide Whse.	N/A
<b>MOTORCYCLE BATTERY - HIGH PERFORMANCE FLOODED LEAD ACID - 6 MONTHS FREE REPLACEMENT - 12 VOLT</b>											
2.5L-C	SO	No Sub	1,2	2.5	22	3 3/16	2 7/8	4 3/16	6 Mo.	Air Freight	\$13.00
2.5L-C-1	SO	No Sub	1,2	2.5	22	3 3/16	2 7/8	4 3/16	6 Mo.	Air Freight	\$13.00

2.5L-C-2	SO	No Sub	1,2	2,5	22	3 3/16	2 7/8	4 3/16	6 Mo.	Air Freight	\$13.00
3L-A	SO	No Sub	1,2	3	40	3 7/8	2 1/4	4 3/8	6 Mo.	Air Freight	\$13.00
3L-B	SO	No Sub	1,2	3	40	3 7/8	2 1/4	4 3/8	6 Mo.	Air Freight	\$13.00
4L-A	SO	No Sub	1,2	4	64	4 3/4	2 7/8	3 11/16	6 Mo.	Air Freight	\$13.00
4L-B	Stock Item	No Sub	5	4	64	4 3/4	2 7/8	3 11/16	6 Mo.	Exide Whse.	N/A
5L-B	SO	No Sub	1,2	5	75	4 3/4	2 3/8	5 3/16	6 Mo.	Air Freight	\$13.00
7L-B	SO	No Sub	1,2	8	140	5 3/8	3	5 1/4	6 Mo.	Air Freight	\$13.00
7-A	SO	Sub 12N7-4A	1,2	8	143	5 3/8	3	5 1/4	6 Mo.	Air Freight	\$13.00
7A-A	SO	No Sub	1,2	8	143	5 3/8	3	5 13/16	6 Mo.	Air Freight	\$13.00
7C-A	SO	No Sub	1,2	8	143	5 1/8	3 9/16	4 1/2	6 Mo.	Air Freight	\$13.00
9A-A	Stock Item	No Sub	5	9	143	5 3/8	3	6 1/16	6 Mo.	Exide Whse.	N/A
9L-A2	SO	No Sub	1,2	9	143	5 3/8	3	5 1/2	6 Mo.	Air Freight	\$15.00
9-B	SO	No Sub	1,2	9	150	5 3/8	3	5 1/2	6 Mo.	Air Freight	\$15.00
9L-B	SO	No Sub	1,2	9	150	5 3/8	3	5 1/2	6 Mo.	Air Freight	\$15.00
10A-A2	SO	No Sub	1,3	11	184	5 3/8	3 9/16	6 1/8	6 Mo.	Air Freight	\$15.00
10L-A2	Stock Item	No Sub	5	11	184	5 3/8	3 9/16	5 3/4	6 Mo.	Exide Whse.	N/A
10L-B	SO	No Sub	1,2	11	184	5 3/8	3 9/16	5 3/4	6 Mo.	Air Freight	\$15.00
10L-B2	SO	Sub 10L-B	1,2	11	184	5 3/8	3 9/16	5 3/4	6 Mo.	Air Freight	\$15.00
12A-A	Stock Item	No Sub	5	12	184	5 5/16	3 3/16	6 5/16	6 Mo.	Exide Whse.	N/A
12C-A	SO	No Sub	1,2	12	187	5 5/16	3 3/16	6 7/8	6 Mo.	Air Freight	\$15.00
12A-B	SO	No Sub	1,2	12	190	5 5/16	3 3/16	6 5/16	6 Mo.	Air Freight	\$15.00
12AL-A	Stock Item	No Sub	1,2	12	190	5 5/16	3 3/16	6 5/16	6 Mo.	Air Freight	\$15.00
12B-B2	SO	No Sub	1,2	12	190	6 5/16	3 9/16	5 3/16	6 Mo.	Air Freight	\$15.00
14A-A1	Stock Item	Sub 14A-A2	5	14	219	5 5/16	3 9/16	6 15/16	6 Mo.	Air Freight	\$15.00
14A-A2	Stock Item	No Sub	5	14	219	5 5/16	3 9/16	6 15/16	6 Mo.	Exide Whse.	N/A
14L-A1	SO	No Sub	1,2	14	219	5 5/16	3 9/16	6 9/16	6 Mo.	Air Freight	\$15.00
14-A2	Stock Item	No Sub	5	14	220	5 5/16	3 9/16	6 9/16	6 Mo.	Exide Whse.	N/A
14-B2	SO	No Sub	1,2	14	220	5 5/16	3 9/16	6 9/16	6 Mo.	Air Freight	\$15.00
14L-A2	Stock Item	No Sub	5	14	220	5 5/16	3 9/16	6 9/16	6 Mo.	Exide Whse.	N/A
14L-B2	SO	No Sub	1,2	14	220	5 5/16	3 9/16	6 9/16	6 Mo.	Air Freight	\$15.00
16AL-A2	Stock Item	No Sub	5	16	232	8 1/16	2 7/8	6 7/16	6 Mo.	Exide Whse.	N/A
16B-A	SO	No Sub	1,2	16	237	6 3/8	3 5/8	6 3/8	6 Mo.	Air Freight	\$17.00
16B-A1	SO	No Sub	1,2	16	237	6 3/8	3 5/8	6 3/8	6 Mo.	Air Freight	\$17.00
16A-AB	SO	No Sub	1,2	16	241	5 15/16	3 9/16	7 3/16	6 Mo.	Air Freight	\$17.00
18-A	SO	No Sub	1,2	18	270	7 3/16	3 5/8	6 7/16	6 Mo.	Air Freight	\$17.00
18L-A	SO	No Sub	1,2	18	271	7 3/16	3 5/8	6 7/16	6 Mo.	Air Freight	\$17.00
16-B-LM	SO	No Sub	1,2	19	240	6 15/16	4	6 1/8	6 Mo.	Air Freight	\$17.00
16C-B	SO	No Sub	1,2	19	240	6 15/16	4	6 7/8	6 Mo.	Air Freight	\$15.00
16CL-B	Stock Item	Sub 16L-BS	5	19	240	6 7/8	4	6 7/8	6 Mo.	Exide Whse.	N/A
16HL-A-LM	SO	Sub 16L-BS	1,2	19	240	6 15/16	4	6 1/8	6 Mo.	Air Freight	\$17.00
16L-B	Stock Item	Sub 16L-BS	5	19	240	6 15/16	4	6 1/8	6 Mo.	Exide Whse.	N/A
16-B	Stock Item	Sub 16-BS	5	19	259	6 15/16	4	6 1/8	6 Mo.	Exide Whse.	N/A
50-N18A-A	SO	Sub 18L-BS	1,2	20	290	8 1/8	3 9/16	6 15/16	6 Mo.	Air Freight	\$17.00
50-N18L-A-LM	SO	Sub 18L-BS	1,2	20	290	8 1/8	3 9/16	6 7/16	6 Mo.	Air Freight	\$17.00
50-N18L-A	SO	Sub 18L-BS	1,2	20	300	8 1/8	3 9/16	6 7/16	6 Mo.	Air Freight	\$17.00
50-N18L-A2	Stock Item	Sub 18L-BS	5	20	300	8 1/8	3 9/16	6 7/16	6 Mo.	Exide Whse.	N/A
50-N18L-A3	SO	Sub 18L-BS	1,2	20	300	8 1/8	3 9/16	6 7/16	6 Mo.	Air Freight	\$17.00
50-N18L-AT	SO	No Sub	1,2	20	300	8 1/8	3 9/16	6 7/16	6 Mo.	Air Freight	\$17.00
60-N24-A	SO	No Sub	1,2	28	300	7 3/8	5 1/8	6 11/16	6 Mo.	Air Freight	\$19.00
60-N24AL-B	SO	No Sub	1,2	28	300	7 5/16	4 15/16	6 15/16	6 Mo.	Air Freight	\$19.00
60-N24L-A	SO	No Sub	1,2	28	300	7 5/16	4 15/16	6 15/16	6 Mo.	Air Freight	\$19.00
30LB	SO	No Sub	1,2	30	300	6 5/8	5 3/16	6 15/16	6 Mo.	Air Freight	\$19.00

**MOTORCYCLE BATTERY - SEALED VRLA (AGM) - 6 MONTHS FREE REPLACEMENT - MAINTENANCE FREE - 12 VOLT**

4B-5	SO	No Sub	1,3	2,5	35	4 7/16	1 9/16	3 3/8	6 Mo.	Air Freight	\$13.00
4L-BS	Stock Item	No Sub	3	3	40	4 7/16	2 3/4	3 3/8	6 Mo.	Exide Whse.	N/A
5L-BS	Stock Item	No Sub	3	4	81	4 7/16	2 3/4	4 1/8	6 Mo.	Exide Whse.	N/A
X5L-BS	SO	No Sub	1,3	4	82	4 1/2	2 3/4	4 1/8	6 Mo.	Air Freight	\$13.00
7A-BS	SO	No Sub	1,3	6	100	5 7/8	3 7/16	3 11/16	6 Mo.	Air Freight	\$13.00
7L-BS	SO	No Sub	1,3	6	104	4 7/16	2 3/4	5 1/8	6 Mo.	Air Freight	\$13.00
9-BS	Stock Item	No Sub	3	8	139	5 7/8	3 7/16	4 3/16	6 Mo.	Exide Whse.	N/A
12A-BS	SO	No Sub	1,3	10	139	5 15/16	3 7/16	4 3/16	6 Mo.	Air Freight	\$15.00
12-BS	Stock Item	No Sub	3	10	209	5 7/8	3 7/16	5 3/16	6 Mo.	Exide Whse.	N/A
14-BS	Stock Item	No Sub	3	12	232	5 7/8	3 7/16	5 3/4	6 Mo.	Exide Whse.	N/A
H16-12	SO	No Sub	1,3	14	262	6	3 7/16	6 7/16	6 Mo.	Air Freight	\$17.00
16-BS	Stock Item	No Sub	3	14	280	6 15/16	4	6 1/8	6 Mo.	Exide Whse.	N/A
16-BS-1	SO	No Sub	1,3	14	280	5 7/8	3 7/16	6 3/8	6 Mo.	Air Freight	\$15.00
X16-BS	SO	No Sub	1,3	14	280	5 7/8	3 7/16	6 3/8	6 Mo.	Air Freight	\$15.00
16L-BS	Stock Item	No Sub	3	14	280	6 15/16	4	6 1/8	6 Mo.	Exide Whse.	N/A
18-BS	SO	No Sub	1,3	18	290	8	3 9/16	6 7/16	6 Mo.	Air Freight	\$17.00

**MOTORCYCLE/POWER SPORT BATTERIES**

J.I.S. Battery	Item Availability	Battery Upgrade	Notes	Capacity (10Hr)	CA	Dimensions			Free Repl.	Delivery Method	Additional Freight
						L	W	H			
<b>MOTORCYCLE BATTERY - SEALED VRLA (AGM) - 6 MONTHS FREE REPLACEMENT - MAINTENANCE FREE - 12 VOLT</b>											
18L-BS	Stock Item	No Sub	3	18	290	8 1/16	3 1/2	6 7/16	6 Mo.	Exide Whse.	N/A
20-BS	SO	No Sub	1,3	18	290	6 7/8	3 3/8	6 1/16	6 Mo.	Air Freight	\$17.00
20L-BS	Stock Item	No Sub	3	18	290	6 15/16	3 7/16	6	6 Mo.	Exide Whse.	N/A
12B-4	SO	No Sub	1,3	11	224	5 7/8	2 11/16	5 1/8	6 Mo.	Air Freight	\$15.00
<b>HARD-TO-FIT J.I.S. SPECIALTY BATTERIES - 6 MONTHS FREE REPLACEMENT - 12 VOLT</b>											
N40	SO	No Sub	4	40	238	8 7/8	5 1/4	8 3/4	6 Mo.	Ground	\$10.64
N40L	SO	No Sub	4	40	238	8 7/8	5 1/4	8 3/4	6 Mo.	Ground	\$10.64
NS40Z	SO	No Sub	4	35	274	7 3/4	5	9 1/8	6 Mo.	Ground	\$10.64
NS40ZL	SO	No Sub	4	35	274	7 3/4	5	9 1/8	6 Mo.	Ground	\$10.64
NS40ZS	SO	No Sub	4	35	274	7 3/4	5	9 1/8	6 Mo.	Ground	\$10.64
NS40ZLS	SO	No Sub	4	35	274	7 3/4	5	9 1/8	6 Mo.	Ground	\$10.64
N50	SO	No Sub	4	50	278	10 3/8	6 3/4	8 3/4	6 Mo.	Ground	\$10.64
NS60	SO	No Sub	4	45	325	8 7/8	5 1/4	8 3/4	6 Mo.	Ground	\$10.64
NS60L	SO	No Sub	4	45	325	8 7/8	5 1/4	8 3/4	6 Mo.	Ground	\$10.64
NS60S	SO	No Sub	4	45	325	8 7/8	5 1/4	8 3/4	6 Mo.	Ground	\$10.64
NS60LS	SO	No Sub	4	45	325	8 7/8	5 1/4	8 3/4	6 Mo.	Ground	\$10.64
N70	SO	No Sub	4	70	389	12 1/8	6 3/4	9 1/8	6 Mo.	Ground	\$10.64
N100	SO	No Sub	4	100	512	15 3/4	6 3/4	9 1/8	6 Mo.	Ground	\$17.74
N100 (L)	SO	No Sub	4	100	512	15 3/4	6 3/4	9 1/8	6 Mo.	Ground	\$17.74
N100Z	SO	No Sub	4	105	577	15 3/4	6 3/4	9 1/8	6 Mo.	Ground	\$17.74
N100Z (L)	SO	No Sub	4	105	577	15 3/4	6 3/4	9 1/8	6 Mo.	Ground	\$17.74
N120	SO	No Sub	4	120	638	20	7 1/8	9 1/4	6 Mo.	Ground	\$17.74
NX120	SO	No Sub	4	80	622	12 1/8	6 3/4	9 1/8	6 Mo.	Ground	\$17.74

N150	SO	No Sub	4	150	754	20	8 3/4	9 1/4	6 Mo.	Ground	\$17.74
NS150	SO	No Sub	4	150	1045	20	7 1/8	9 1/4	6 Mo.	Ground	\$17.74
N200	SO	No Sub	4	200	924	20	10 1/4	9 1/2	6 Mo.	Ground	\$17.74
55B24L	SO	No Sub	1,2	45	433	8 7/8	5 1/4	8 3/4	6 Mo.	Air Freight	\$10.64
38B20R	SO	No Sub	1,2	35	332	7 3/4	5	9 1/8	6 Mo.	Air Freight	\$10.64
38B20RS	SO	No Sub	1,2	35	332	7 3/4	5	9 1/8	6 Mo.	Air Freight	\$10.64

<b>ACID</b>												
000NACIDP	HC-32	32 oz. Acid Bottle								Exide Whse.	N/A	

- |  |   |
|--|---|
| 1 Special Order - Add shipping charge. (No discount on freight)    | 4 Special Order - Dry Battery - Add shipping charge. (No discount on freight) |
| 2 Dry Charged Battery - Requires HC-32 acid bottle.                | 5 FP - Fresh Pack - Battery + Acid included inside battery carton.            |
| 3 Sealed VRLA (AGM) Battery - Acid included inside battery carton. |   |

## BATTERY TESTERS

Exide Stock Number	EXIDE DESCRIPTION	Type		
INC-900	inCHARGE SYSTEM	TESTER/CHARGER/WARRANTY MGMT		
ESA-800KIT	inTELLECT SYSTEM	CAR MOUNTED/ELECTRICAL SYSTEM DIAGNOSTICS		
MCR-700	MICRO 700 TESTER	ANALYZER/ELECTRICAL SYSTEM/HEAVY DUTY		
MCR-700KIT	MICRO 700 KIT	ANALYZER WITH PRINTER & CASE		
MCR-500	MICRO 500 TESTER	ANALYZER/ELECTRICAL SYSTEM		
MCR-500KIT	MICRO 500 KIT	ANALYZER WITH PRINTER & CASE		
MCR-350EX	MICRO 350 TESTER	TESTER/CHARGING SYS/BATTERY/EXIDE BRANDING		
MCR-200	MICRO 200 TESTER	TESTER/BATTERY		
A049	MICRO CARRY CASE	CARRYING CASE/HARD/MICRO PRODUCTS		
A050	MICRO PRINTER	PRINTER/INFRARED/HP/MICRO 500/ 700		

**REDIPULSE PRO-10** **NEW!**  
CHARGE / MAINTENANCE SYSTEM



- Designed to charge and maintain up to 10 12-volt batteries at the same time.
- Preserve new batteries at peak charge levels by keeping the plates in like-new condition.
- Removes damaging lead-sulfate deposits on the battery plates.

Exide Stock Number	EXIDE DESCRIPTION	Type		
746X900	REDIPULSE PRO-10	10 STATION, SMART BATTERY CHARGING/MAINTENANCE SYSTEM		

## BATTERY ACID

Exide Stock Number	EXIDE DESCRIPTION			
000NACIDP	ACID 32 OZ			
000075960	ACID 5 GAL			
000201180	ACID 6QT			



## DISCONTINUED & SUPERSEDED NUMBERS

BCI Group Size	Part Number	CCA at 0° F	CA at 32° F	RC Minutes @ 25 Amps	Superseded Battery Information	Free Repl. Period	Free Jump Start	Unit Value	Pallet Load Qty. (27-1/2 in.)
<b>EXIDE SELECT ORBITALSEALED VRLA (AGM) MARINE BATTERY - 36 MONTH WARRANTY - 12 VOLT</b>									
34	*34M-48	770	950	95	Use ORB34M-36	18 Mos.	N/A	1.0	N/A
34	*34DC-48	750	925	100	Use ORB34DC-36	18 Mos.	N/A	1.0	N/A
*Part number change only. Product still active, see page 1 of price sheet.									
<b>EXIDE NASCAR SELECT AUTOMOTIVE BATTERY - 84 MONTH WARRANTY - 12 VOLT</b>									
70DT	70DT-84N	525	630	85	Use 75DT-84N	24 Mos.	24 Mos.	1.0	N/A
34/78	78DT-84NS	875	1100	120	Use 78DT-84N	24 Mos.	24 Mos.	1.0	N/A
24T	24T-84N	675	835	120	Use 24-84N	24 Mos.	24 Mos.	1.0	N/A
41	41-84N	540	675	100	Use 41-60	24 Mos.	24 Mos.	1.0	N/A
42	42-84N	435	540	80	Use 42-60	24 Mos.	24 Mos.	1.0	N/A
47	47-84N	590	750	90	Use 47-60	24 Mos.	24 Mos.	1.0	N/A
48	48-84N	690	880	110	Use 48-60	24 Mos.	24 Mos.	1.0	N/A
49	49-84N	750	950	120	Use 49-60	24 Mos.	24 Mos.	1.0	N/A
51	51-84N	425	515	80	Use 51-60	24 Mos.	24 Mos.	1.0	N/A
56	56-84N	535	675	100	Use 56-60	24 Mos.	24 Mos.	1.0	N/A
58R	58R-84N	500	620	90	Use 58R-60	24 Mos.	24 Mos.	1.0	N/A
74	74-84N	675	835	120	Use 78-84N	24 Mos.	24 Mos.	1.0	N/A
<b>EXIDE NASCAR SELECT SPORT UTILITY VEHICLE (SUV) BATTERY - 84 - MONTH WARRANTY - 12 VOLT</b>									
34	SUV-34	770	950	120	Use 34-84N	24 Mos.	24 Mos.	1.0	N/A
58	SUV-58	500	620	90	Use 58-84N	24 Mos.	24 Mos.	1.0	N/A
65	SUV-65	725	890	130	Use 65-84N	24 Mos.	24 Mos.	1.0	N/A
75	SUV-75	630	800	100	Use 75-84N	24 Mos.	24 Mos.	1.0	N/A
<b>EXIDE NASCAR SELECT MARINE &amp; RV BATTERY - 42 - MONTH WARRANTY - 12 VOLT</b>									
24	NRVM-24	-	525	140	Use ST24MS525 or XHD-M-24	12 Mos.	12 Mos.	1.0	N/A
24	NRV-XX24	-	1000	115	Use ST24MS000 or XXHD-M-24	12 Mos.	12 Mos.	1.0	N/A
27	NRVM-27	-	670	180	Use ST27DP700 or NC-27	12 Mos.	12 Mos.	1.0	N/A
31	NRV-31DT	-	900	180	Use ST31DC205 or NG-31	12 Mos.	12 Mos.	1.0	N/A
<b>EXIDE NASCAR SELECT GROUP 31 COMMERCIAL BATTERY - 36 - MONTH WARRANTY - 12 VOLT</b>									
31	31A-NAS	700	840	180	Use HC-31E or HP-31E	18 Mos.	NA	1.5	N/A
	31S-NAS	700	840	180	Use HC-31D or HP-31E	18 Mos.	NA	1.5	N/A
<b>EXIDE NASCAR SELECT LAWN &amp; GARDEN BATTERY - 12 - MONTH WARRANTY - 12 VOLT</b>									
U1	GT-HD	300	400	34	Use GT-X	3 Mos.	NA	0.5	N/A
<b>EXIDE CLASSIC AUTOMOTIVE BATTERY - 72 MONTH WARRANTY - MAINTENANCE FREE - 12 VOLT</b>									
70DT	70DT-72	630	800	85	Use 75DT-72	18 Mo.	18 Mo.	1.0	N/A
78	78-72P	850	1000	120	Use 78-72	18 Mo.	18 Mo.	1.0	N/A
<b>EXIDE LIGHT TRUCK, VAN, OFF-ROAD AND 4X4 BATTERY - 60 MONTH WARRANTY - MAINTENANCE FREE - 12 V</b>									
78DT	78DT-LTV	770	950	120	Use 78DT-72	12 Mo.	12 Mo.	1.0	N/A
75DT	75DT-LTV	630	800	100	Use 75DT-72	12 Mo.	12 Mo.	1.0	N/A
24	24-LT-60	675	835	120	Use 2434-72P or 24-72	12 Mo.	12 Mo.	1.0	N/A
24F	24F-LT-60	675	835	120	Use 24F34R-72P or 24F-72	12 Mo.	12 Mo.	1.0	N/A
25	25-LT-60	570	730	100	Use 25-72	12 Mo.	12 Mo.	1.0	N/A
27	27-LT-60	700	850	120	Use 27-60	12 Mo.	12 Mo.	1.0	N/A
27F	27F-LT-60	700	850	120	Use 27F-60	12 Mo.	12 Mo.	1.0	N/A
34	34-LT-60	770	950	120	Use 34-72	12 Mo.	12 Mo.	1.0	N/A
34R	34R-LT-60	770	950	120	Use 34R-72	12 Mo.	12 Mo.	1.0	N/A
35	35-LT-60	570	730	100	Use 35-72	12 Mo.	12 Mo.	1.0	N/A
56	56-LT-60	535	640	80	Use 56-60	12 Mo.	12 Mo.	1.0	N/A
58	58-LT-60	500	620	90	Use 58-60	12 Mo.	12 Mo.	1.0	N/A
65	65-LT-60	750	890	130	Use 65-72 or 65-60	12 Mo.	12 Mo.	1.0	N/A
75	75-LT-60	630	800	100	Use 75-72 or 75-60	12 Mo.	12 Mo.	1.0	N/A
78	78-LT-60	770	950	120	Use 78-72	12 Mo.	12 Mo.	1.0	N/A
<b>EXIDE PREMIUM AUTOMOTIVE BATTERY - 60 MONTH WARRANTY - MAINTENANCE FREE - 12 VOLT</b>									
70DT	70DT-60	525	630	85	Use 75DT-72 or 75DT-60	12 Mo.	12 Mo.	1.0	N/A
22F	22F-60	450	450	70	Use 26R-60 or 26R-50	12 Mo.	12 Mo.	1.0	N/A
34R	34R-60	630	800	100	Use 34R-84N or 34R-72	12 Mo.	12 Mo.	1.0	N/A
46	46-60	450	525	80	Use 2434-72P, 24-72 or 24-60	12 Mo.	12 Mo.	1.0	N/A
74	74-60	550	675	100	Use 78-72 or 78-60	12 Mo.	12 Mo.	1.0	N/A
<b>EXIDE - AUTOMOTIVE BATTERY - 50 MONTH WARRANTY - MAINTENANCE FREE - 12 VOLT</b>									
78DT	78DT-50	550	675	90	Use 78DT-72 or 78DT-60	12 Mo.	12 Mo.	1.0	N/A
70DT	70DT-50	450	525	80	Use 75DT-72 or 75DT-60	12 Mo.	12 Mo.	1.0	N/A
25	25-50	430	525	80	Use 25-72 or 25-60	12 Mo.	12 Mo.	1.0	N/A
35	35-50	430	525	80	Use 35-72 or 35-60	12 Mo.	12 Mo.	1.0	N/A
41	41-50	540	675	100	Use 41-60	12 Mo.	12 Mo.	1.0	N/A
70	70-50	450	525	75	Use 75-72, 70-60 or 75-60	12 Mo.	12 Mo.	1.0	N/A
78	78-50	525	630	90	Use 78-72 or 78-60	12 Mo.	12 Mo.	1.0	N/A

## DISCONTINUED & SUPERSEDED NUMBERS

BCI Group Size	Part Number	CCA at 0° F	CA at 32° F	RC Minutes @ 25 Amps	Superseded Battery Information	Free Repl. Period	Free Jump Start	Unit Value	Pallet Load Qty. (27-1/2 in.)
<b>EXIDE - AUTOMOTIVE BATTERY - 40 MONTH WARRANTY - MAINTENANCE FREE - 12 VOLT</b>									
26	26-40	350	450	65	Use 26-60 or 26-50	6 Mo.	NA	1.0	N/A
26R	26R-40	350	450	65	Use 26R-60 or 26R-50	6 Mo.	NA	1.0	N/A
53	53-40	260	315	55	No Replacement	6 Mo.	NA	1.0	N/A
70	70-40	350	450	65	Use 75-72, 75-60 or 75-50	6 Mo.	NA	1.0	N/A
<b>EXIDE - AUTOMOTIVE BATTERY - 40 MONTH WARRANTY - MAINTENANCE FREE - 6 VOLT</b>									
2N	2N-40	495	495	170	No Replacement	6 Mo.	NA	1.0	N/A
17HF	17HF-40	350	420	100	Use 19L-40	6 Mo.	NA	1.0	N/A
<b>EXIDE 911 EMERGENCY VEHICLE BATTERY - 24 MONTH WARRANTY - MAINTENANCE FREE - 12 VOLT</b>									
26/70	26-EVB-UB	500	625	80	Use 75DT-72 or 75DT-60	12 Mo.	NA	1.0	N/A
34/78	34-EVB-UBX	575	700	130	Use 78DT-72 or 78DT-60	12 Mo.	NA	1.0	N/A
65	65-EVB	675	825	130	Use 65-72 or 65-60	12 Mo.	NA	1.0	N/A
31	31A-EVB	625	775	180	Use HP-31E or HC-31E#	12 Mo.	NA	1.5	N/A
	31S-EVB	625	775	180	Use HP-31D or HC-31D#	12 Mo.	NA	1.5	N/A
<b>EXIDE WHEELCHAIR, SPECIAL APPLICATION &amp; UTILITY BATTERY - DEEP CYCLE - 12 VOLT</b>									
22NF	DC-22NF	280	360	90	Use PV-22NF	6 Mo.	NA	1.0	N/A
<b>EXIDE CABLE READY BATTERY - 24 MONTH WARRANTY - 12 VOLT</b>									
31	CR-31	625	750	180	No Replacement	18 Mo.	NA	1.5	N/A
<b>EXIDE FLOOR SCRUBBER &amp; SWEEP BATTERY - DEEP CYCLE - 6 &amp; 12 VOLT</b>									
BJ120	FS13-D 12V	--	55	200	No Replacement	12 Mo.	NA	2.0	N/A
<b>EXIDE GROUP 31 COMMERCIAL BATTERY - 24 MONTH WARRANTY - 12 VOLT</b>									

31	HC-31MFD#	700	840	180	Use HC-31D#	18 Mo.	NA	1.5	N/A
	HC-31MFE#	700	840	180	Use HC-31E#	18 Mo.	NA	1.5	N/A
D = Stud Terminal; E = SAE Terminal; # Includes State of Charge Indicato									
<b>EXIDE HEAVY DUTY COMMERCIAL BATTERY - 24 MONTH WARRANTY - 12 VOLT</b>									
4D	COM-4D	810	970	230	Use COM-4D-P	12 Mo.	NA	3.0	N/A
8D	D-8D-P	860	1000	240	Use COM-8D-P	12 Mo.	NA	4.0	N/A
20H	F-20H	235	280	45	No Replacement	12 Mo.	NA	1.0	N/A
30H	COM-30H-P	600	750	125	Use COM-30H	12 Mo.	NA	1.5	N/A
	F-30H-P	500	620	100	Use COM-30H	12 Mo.	NA	1.5	N/A
<b>EXIDE HEAVY DUTY COMMERCIAL BATTERY - 24 MONTH WARRANTY - 6 VOLT</b>									
1	COM-1-P	400	500	90	Use COM-1H-P	12 Mo.	NA	1.0	N/A
<b>NAUTILUS MARINE STARTING BATTERY - 24 MONTH WARRANTY - 12 VOLT</b>									
24	M-24	350	465	55	Use ST24MS525 or HD-M-24	--	12 Mo.	1.0	N/A
31	M-31	925	1150	170	Use ST31DC205 or NG-31	--	12 Mo.	1.5	N/A
8D	HD-M-8D	1000	1150	240	Use STSDDC400 or NG-8D	--	12 Mo.	4.0	N/A
<b>NAUTILUS MARINE/RV DUAL PURPOSE - STARTING/DEEP CYCLE BATTERY - 24 MONTH WARRANTY - 6 &amp; 12 V</b>									
1	NC-1	625	730	150	Use COM-1H-P	90 Ah.	12 Mo.	1.0	N/A
<b>NAUTILUS MARINE HEAVY DUTY BATTERY - 24 MONTH WARRANTY - COMMERCIAL GRADE - 8 VOLT</b>									
2	8-2	460	530	135	Use 8-1 or E-4800	--	12 Mo.	1.0	N/A
<b>NAUTILUS GOLD POWER PROBE "THE BATTERY WITH A BRAIN" 24 MONTH WARRANTY - 12 VOLT</b>									
27	NGP-27	530	670	180	Use ST27DC180 or NG-27	--	12 Mo.	1.0	N/A
<b>EXIDE EDGE PERSONAL WATERCRAFT BATTERY - 6 MONTH WARRANTY - 12 VOLT</b>									
16L-B	EX-16L-B	240	276	30	Use CH-16L-B	19 Ah.	1 Mo.	0.5	N/A
16-B	EX-16-B	276	300	35	Use CH-16-B	19 Ah.	1 Mo.	0.5	N/A
16-CLB	EX-16-CLB	240	276	35	Use CH-16-CLB	19 Ah.	1 Mo.	0.5	N/A
20L-BS	EX-20L-BS	270	290	35	Use CH-20L-BS	20 Ah.	1 Mo.	0.5	N/A
<b>EXIDE FULLTIMER RECREATIONAL VEHICLE BATTERY - 24 MONTH WARRANTY - 6 &amp; 12 VOLT</b>									
24	RV-24HD 12V	525	650	80	Use ST24MS650 or XHD-M-24	--	12 Mo.	1.0	N/A
	RV-24XHD 12V	800	1000	115	Use ST24MS000 or XXHD-M-24	--	12 Mo.	1.0	N/A
	RV-24DC 12V	500	625	120	Use ST24DC140 or NG-24	--	12 Mo.	1.0	N/A
	RV-24 12V	400	500	140	Use ST24MS525 or HD-M-24	--	12 Mo.	1.0	N/A
27	RV-27DC 12V	500	625	180	Use ST27DC180 or NG-27	--	12 Mo.	1.0	N/A
	RV-27 12V	500	625	180	Use ST27DC180 or NG-27	--	12 Mo.	1.0	N/A
31	RV-31 12V	600	750	205	Use ST31DC205 or NG-31	--	12 Mo.	1.5	N/A
4D	RV-4D 12V	600	850	250	Use ST4DDC250 or NG-4D	--	12 Mo.	3.0	N/A
8D	RV-8D 12V	800	1200	400	Use ST8DDC400 or NG-8D	--	12 Mo.	4.0	N/A
GC2	RV-GC 6V	----	----	110	Use GC-5 or E-3600	--	12 Mo.	1.5	N/A
	RV-GC-5 6V	----	----	110	Use GC-5 or E-3600	--	12 Mo.	1.5	N/A

## EXIDE WARRANTY PROGRAM EXPLANATION

Please contact your Exide dealer for the data on your battery.

### Exide Free Replacement Warranty Explanation

A free or no charge replacement is made when a defective battery is brought in for claim within the free replacement period shown on the Exide Distributor price sheet in the "Free Repl. Period" column.

### Exide Pro-Rata Warranty Explanation

The end user's pro-rated fee is based on the Suggested Retail Selling Price shown on the Exide Distributor Price Sheet. The warranty cost per month, or fee, is calculated by dividing the warranty months into the Suggested Retail Price. The monthly fee is multiplied by the number of months the battery was in service. This is the amount the customer will pay for their new replacement battery. The monthly fee appears on the Exide Distributor Price Sheet in the "Warranty Cost/Month" column.

### Example:

An Exide 60 Month 24-60 battery in service for 18 months and sold to the customer at the Suggested Retail Price of \$69.99. The battery is pro-rated as follows:

\$	1.16 monthly fee
_____ X	18 months in service (usage charge)
	\$ 20.88 customer pays for new battery

### Free Replacement Battery Date Punch-Out Example:

The warranty punched out on "the replacement battery" should reflect the purchase date of the original battery sold to the customer, not the current date of the free claim.



Sold in March 2002

Replaced in November 2002 but punch out at the original date, March 2002

### Pro-Rata Adjustment Battery Date Punch-Out Example:

In the case of a pro-rata battery adjustment, the replacement battery has the current date punched-out.



Sold in July 1999

Replaced in November 2002

For more information and nationwide warranty terms contact your Exide Sales Representative, visit us at [www.exide.com](http://www.exide.com) or call 1-800-START-IT